



BEYOND THE





ABS & STEEL MESH FRONT

FNCY STYLF





OPTIMIZED

AIRFINW

FOR SMOOTH RUNNING





DA771F VAIIR SETTIP

3*120MM FRONT RAINBOW LED FANS





CRYSTAI - CI FAR SINF PANFI

TEMPERED GLASS SIDE PANEL



INTEX

OPTIMUM


HARDWARF SUPPORT





I / D D A N E I

POWER





- Material: SPCC Black Coating
- Left Side Panel: Tempered Glass
- IO Panel: 1*USB 3.0, 2*USB 1.0, HD Audio
- MB Support: ATX/M-ATX/ITX
- Bays: 3.5" HDD*1/2.5" SSD*1/PCI*7
- PSU Support: Standard ATX
- CPU Max Support: 160 mm
- VGA Max Support: 300 mm
- Fan Support:
- 3*12 cm Front (Included)
- 2*12 cm Top
- 1*12 cm Rear
- Water Cooling Support: 240 mm Front
- Structure Size: 305*192*435 mm (L*W*H)
- Case Size: 310*192*448 mm (L*W*H)



INTEX



THANK YOU

INTEX TECHNOLOGIES (INDIA) LTD.

Regd. Office: A-61, Okhla Industrial Area, Phase-II, New Delhi-110020

900+ Service Touch Points | www.intex.in | Email: info@intex.in | Customer Care No.: 0120-489-5555







- @intextechnologies
- 🚹 @IntexIndia
- @IntexTechnologies